



COVID-19 KIT AND CHEMICALS

- > THERMOMETER IR
- > MASK-G95
- > PPE KIT
- > SAFTEY GOGGLES
- > FACE SHIELD
- > FOGGING MACHINE
(ATOMIC SANITIZER)
- > GLOVES
- > SPRAYER
- > HAND'S FREE HAND
SANITIZER STAND
- > HAND RUB

{CHEMICALS}

- > SODIUM HYPOCHLORITE-12%
- > SILVER HYDROGEN PEROXIDE
- > BLEACHING POWDER
GRADE-1(35%)
- > HAND WASH
- > PHENYL CONCENTRATE
(WHITE & BLACK)
- > AND MANY MORE
ITEMS....

HEMANT TRADERS

55, Baralal Street, Upper Bazar, Ranchi-834001

Phone : 9431106054, 9431101854, 0651-2214505

GSTIN No. : 20ACNPM6207G1ZV


E-mail - hemant.taders.ranchi@gmail.com

S.No.	Items	Packing	MRP	Price(Each Pc)
-------	-------	---------	-----	----------------

9027-18%	1 IR THERMOMETER (Superior avantor make)	N.A	4500.00	
3003-12%	2 HAND RUB (FOR HAND SANITIZING) IN 5LTR JAR {iso-propyl based}	N.A	400.00 (Per Itr)	
	a 100 ml Tip-Top Bottle	N.A	50.00	
	b 50 ml Tip-Top Bottle	N.A	50.00	
9027-18%	3 HAND'S Free Sanitizer Stand (Foot Operated) Heavy Duty	1pcs	N.A	4000.00
6211-5%	4 PPE Kit			
	a Routine Quality 90GSM	1pcs	N.A	800.00
	b SITRA Approved (Taped)	25pcs	2,750.00	1600.00
6210-5%	5 3 Ply DISPOSABLE MASK (Stitched Elastic)			
	a Without Nosepin	100pcs	N.A	5.75
	b With Nose Pin wire	100pcs	N.A	7.75
6307-5%	6 G95 MASK (DRDO Approved) with Respirator (CE Certified)	25pos	N.A	130.00
9004-18%	7 SAFTEY GOGGLES			
	a Routine Quality	50pos	N.A	110.00
	b Superior Quality	50pos	N.A	140.00
9027-18%	8 FACE SHIELD			
	a Routine Quality	50pos	N.A	95.00
	b DRDO Approved (Superior)	10pos	N.A	155.00
9027-18%	9 STAINLESS STEEL FOGGING SPRAYER 1pos with Analog Timer	N.A	35,000.00	
9027-18%	9A Fogger Spraying Machine (Superior.)	1pos	N.A	8500.00
9027-18%	9B Fogger Spraying Machine (Regular)	1pos	N.A	5000.00
9027-18%	10 GLOVES Latex (Disposable)	100pos by weight		5.50
	a Nitrile (Disposable)	100pos		12.00
	b Rubber Gloves (Reusable)	Pair		80.00
2847-12%	11 Silver Hydrogen peroxide (for sanitizing) (5 ltr pack)		140.00 (per Itr)	
	11A Silver hydrogen peroxide (for sanitizing) concentrate		650.00 (per Itr)	
2828-18%	12 SODIUM HYPOCHLORITE 10-12%	5Ltr		250.00

Terms & Conditions:-

- All above Quoted Prices are NETT. (Wholesale Rates)
- GST will be charged extra - As Indicated
- MOQ = Pack Sizes
- Packing & Freight Extra - As actual
- 100% Advance Payment against Performa Invoice





ADARSH ADARSH ADARSH ADARSH ADARSH ADARSH

ADARSH ADARSH ADARSH ADARSH ADARSH ADARSH

NON CONTACT INFRARED THERMOMETER


36 Degree HT - 668



Features:-

- Infrared Detecting Technology, non- contact, safer and healthier
- 0.5 Sec fast measurement
- Clear LCD screen and high temperature alarm function.
- Measured Distance: 5-10cm
- The Temperature measuring range: Fahrenheit degrees Celsius (20-120)/ Degrees Celsius (30-50)
- Perfect for body temperature measurement, Skin, Forehead, armpit, palm, etc.

<input type="radio"/> Model:-	HT-668
<input type="radio"/> Type:-	Non- Contact Infrared Thermometer
<input type="radio"/> Powdered By:-	2 x AAA Battery (Not Included)
<input type="radio"/> Operating Humidity:-	Less Than or Equal to 85 PCT
<input type="radio"/> Operating Temperature Range:-	0-40 Degree.
<input type="radio"/> Package Weight:-	0.273 Kg
<input type="radio"/> Product Size (L x W x H):-	18.00 x 9.80 x 4.00cm/ 7.09 x 3.86 x 1.57 inches
<input type="radio"/> Package Size (L x W X H):-	17.50 x 11.80 x 6.50cm / 6.89 x 4.65 x 2.56 inches
<input type="radio"/> Package Contents:-	1 x 36 Degree HT-668 Infrared



THE **ULTIMATE** FOGGING MACHINE

ADARSH**PRO****ADARSH****ADVANCE**

Foggers are Compatible with wide range of H_2O_2 + $AgNO_3$ based chemicals

SPECIFICATION	ADARSH - PRO	ADARSH - ADVANCE
Construction	Housing, Tank, Handle, Tank Cover, Strainer, Hardware All S.S 304 Grade Tubing-Superior Quality Silicon (Non Collapsible)	
Timer Device	Mechanical Timer 1-60 Min. ABS Box.	DIGI-PULS Digital Timer 1~99 Min. with total run time counter ABS Box
Run Time Counter	Not Available	Available
Fog Reach		20 - 25 Feet
Liquid Flow rate		1 - 3 Ltrs/Hours (Adjustable)
Particle Size		Ultra Fine Sub Microns
Liquid Flow Control		Available
Nozzle Assembly		Non Rotating Vortex Design Engg. Plastic Nozzle Assembly
Area Coverage		>16000 Cuft
Solution Tank Capacity		6 Liters
Motor		22000 R.P.M. (Approx)
Noise Level		< 88 db @ 1 Meter
Air Filter	Advanc Design Tripal Stage Filter	Advanc Design Triple Stage Filter
Electrical Requirement		220~230 VAC, 50/60 Hz
Fogger Weight (dry)		6-7 kg. (Approx)

HANDS FREE SANITIZER AND SOAP STAND



Hands Free



All Size Bottle Holder



Variable Height Adjustment



Foot Pedal



TECHNICAL SPECIFICATION

- CRCA Mild Steel
- Rust free Powder Coating
- Height adjustment to fit bottle of any size.
- High Strength Elastic to hold bottles of all dimension
- Aesthetic look
- Hands- free activation eliminating Cross-Contamination.
- Work in all kind of rugged environments

USEFUL FOR

- Hospitals, Households.
- Educational Institution
- Movie Theater & Malls.
- Storefronts.
- Government Establishments & Industries.

COVID - 19

LET US FIGHT TOGETHER

HEMANT TRADERS

55, Baralal Street, Upper Bazar, Ranchi-834001

Phone : 9431106054, 9431101854, 0651-2214505

GSTIN No. :20ACNPM6207G1ZV

E-mail - hemant.taders.ranchi@gmail.com



PPE KIT (SITRA Approved) Taped



SPECIFICATIONS

- ISO certified, WHO GMP certified, Citra approved
- Full Body Suit (Taped)
- 3 ply Mask
- 1 pair Gloves
- 1pair Shoe Cover
- Bio-hazard bag
- Face Shield / Safety Goggles (Any One)
- Non Woven Cap



FACE SHIELDS (DRDO Approved) Superior

Face protection shield has essentially has three component as follows:-



1. Head Band Moulded part in POLYPROPYLENE conforming to specification and drawing in section A.
2. Overhead Projector (OHP) sheet A4 size 175 micron thick transparent.
3. Elastic band 12mm wide and 450mm long.



SPECIFICATIONS

Head Band

Drawing: Overall Dimensions are 173x 120x15 m. drawing of the head band is appended below



Material:- POLYPROPYLENE with following typical properties is to be used for Head band

TYPICAL PROPERTIES:-

Tested Properties	UOM	Values
Resin Properties		
Melt Flow Index (230°C & 2.16 KG)	gm/10 min	12.0
Density @ 23°C	gm/cm ³	0.90
Mechanical Properties		
Tensile Strength @ Yield (50mm/min)	MPa	34
Elongation @ Yield (50mm/min)	%	12
Flexural Modulus (1.3mm/min)	MPa	1100
Notched Izod Impact Strength @ 23°C	J/m	46
Thermal Properties		
Heat Deflection Temperature (0.46 N/m ²)	°C	80
Vicat Softening Point (10 N)	°C	130



ADARSH ULV (Ultra Low Volume) Fogger is made of complete **Stainless Steel 304 Grade**, Which Far Exceeds any other conventional Fogger in its class and are used in dispersing of water and oil based liquids for pest / germs / Bacteria & odour control with non wetting aerosols. Offering **two variants (Adarsh Pro & Adarsh Advance)** at there best in class which runs on a high speed FHP motor to provide **maximum thrust** of spray to generate **ultra fine aerosol fog**. **Adarsh Pro** comes with mechanical timer (1-60 minutes) and **Adarsh Advance** comes with DIGI - PULS digital timer (1-99 minutes) to provide trouble free fogging. All variants are compact and easy to use, Being highly efficient it is widely used in most of the leading Hospitals, Laboratories, Pharmaceutical Industry, Biotech, Food Processing & Beverages Industry.

Applications

- Hospitals
- Laboratories
- Pharmaceutical
- Healthcare
- Clean Room
- Food Processing
- Beverages
- Pest Control
- Hatcheries
- Odour Control
- Dairy



Features

DIGI-PLUS



Digital Timer (1-99 min) with Total Run Time Counter A.B.S Box

Mechanical Timer



(1-60min) A.B.S Box

Liquid Tank



Stainless Steel 304 Grade. with 6 Ltrs Tank Capacity

Flow Control



Adjustable Flow Control Knob




Nozzle Assembly

Non Rotating Vortex Design Engg. Plastic

Air Filter



Advance Design Triple Stage Filter



- Made up of stainless Steel 304 Grade
- Generate Ultra Fine & Non Wetting Aerosols
- Compatible with all leading disinfectant solutions
- Can be used for both water & Oil based liquids
- High speed FHP motor for maximum thrust
- Flow control knob to adjust particle size
- Wide area coverage (>16000 cuft)
- Available in two options mechanical timer & digital timer
- Superior quality silicon tubing
- User friendly & maintenance free
- Portable & easy to handle

HEMANT TRADERS

55, Baralal Street,Upper Bazar, Ranchi-834001

Phone : 9431106054,9431101854,0651-2214505

GSTIN No. :20ACNPM6207G1ZV

E-mail - hemant.taders.ranchi@gmail.com